

Customer Expert Day - 28/07/2020

Questions & Answers:

Question	Answer
<p>What about the rejection whereby the asset model data does not match that held by gas transporter?</p>	<p>The MDD rejection relating to Asset Model data is "Asset Model data not consistent with UK Link Asset Model data" this rejection reason is covered within the training pack from slide 51. If you are referring to another rejection reason that wasn't covered please do not hesitate to contact us.</p>
<p>what a CDJOB is and how it differs from an ONJOB?</p>	<p>.CDJ (Connection/Disconnection Information File) is an abbreviation of CDJOB. A CDJ file is a notification that is sent to a Shipper that supplies an MPRN when data relating to that MPRN data has been updated to the Connection & Disconnection (C&D) store.</p>
<p>Is it possible to amend the AQ from a previous date to fix Market breaker rejections?</p>	<p>The Rolling AQ calculation and the AQ correction processes only set the AQ for a future date. Where readings are replaced, and a revised volume/energy is calculated any future AQ calculations will utilise this revised data. However, as part of the AQ correction process, a failed energy for tolerance reading, can be provided in the U01 record of the AQI file as part of reason code 4. Where the AQ correction is accepted and the provided reading passes validation using the 'new AQ', the reading will also be uploaded.</p>
<p>Would a 07117-rejection response from an ONAGE flow have the same rejection reason (e.g. Not being the confirmed shipper for that date)?</p>	<p>MDD Rejection responses should remain the same throughout the RGMA process. Xserve do not have visibility of an ONAGE flow however all rejection codes should remain the same throughout the industry.</p>
<p>The Map Catalogue would be really helpful we experience the same issues</p>	<p>As part of XRN 4801 we are looking to get Meter Asset Provider (MAP) details on to the Data Enquiry System. The "MAP ID" (If populated on UK Link) will be visible after implementation of XRN 4801 during the November 2020 UK Link Release drop. Alternatively, as part of XRN 4780-C a new file is being created (.SIM) to be issued to</p>

	<p>Shippers informing them where MAP ID, associated with assets installed in their Supply Meter Points, has been assigned and unassigned.</p>
<p>Is there any scope or possibility to allow updates to the ONUPD process?</p>	<p>Several RGMA reviews are taking place throughout the industry. However, any proposed enhancements to the current processes would have to go through the current change process. More information on the Xoserve Change Process can be found here: https://www.xoserve.com/change/</p>

If you have any additional questions that are not answered above please contact box.xoserve.training2@xoserve.com