DSC Delivery Sub-Group

22nd March 2021

DSG Agenda

22nd March 2021

DSG Agenda (1)

ltem	Title	Document Ref	Lead	Action Required From DSG
1.	General Meeting Administration			
1a.	Welcome and Introductions	Verbal	Chair	Introduce yourself
1b.	Previous DSG Meeting Minutes and Action Updates	Verbal	Chair	Approval of the meeting minutes for the previous meeting
2.	Changes in Capture			
2a.	New Change Proposals – For Initial Overview of the Change – N	one for this meeting		
2b.	Change Proposal Initial View Representations - None for this m	eeting		
2c.	Undergoing Solution Options Impact Assessment Review - None	e for this meeting		
2d.	Solution Options Impact Assessment Review Completed - None	for this meeting		
3.	Changes in Detailed Design			
3a.	Design Considerations			
3a.i.	XRN5007 – Correction in the reconciliation process when volume is zero	Slides	Michelle Niits	For information and discussion
3a.ii.	XRN5072 – Application and derivation of TTZ indicator and calculation of volume and energy – all classes	Slides	Michelle Niits	For information and discussion
3a.iii.	XRN5122 – Gemini System Enhancements – External Screens pack, API User Guide, API Specification and User Trials registration	Slides	Michelle Niits	For information and discussion
3a.iv.	XRN5142 – New Allowable Values for DCC Service Flag in DXI File From DCC	Slides	Michelle Niits	For information and discussion
3b.	Requirements Clarification – None for this meeting			

DSG Agenda (2)

4.	Major Release Update			
4a.	November 2020	Slides	Ed Healy	Standing agenda item – for information (if there is an update)
4b.	Minor Release Drop 9	Slides	Bali Bahia	Standing agenda item – for information (if there is an update)
4c.	June 2021	Slides	Tom Lineham	Standing agenda item – for information (if there is an update)
4d.	November 2021	Slides	Tara Ross	Standing agenda item – for information (if there is an update)
5.	Change Pipeline	Slides	Paul Orsler	Standing agenda item – for information (if there is an update)
6.	Issue Management			· · · /
6a.	AQ Task Force Update	Slides	Michele Downes	Standing agenda item – for information (if there is an update)
7.	CMS Rebuild	Slides	Joanne Williams/Linda Whitcroft	For information and discussion
	Annex – For Information			
8.	ChMC Update	Slides	Rachel Taggart	Standing agenda item – for information (if there is an update)
9.	Defect Summary	Slides	Mark Tullett	Standing agenda item – for information (if there is an update)
10.	Portfolio Delivery			· · · · · · · · · · · · · · · · · · ·
10a.	Portfolio Delivery Overview POAP	POAP published on Xoserve.com		Standing agenda item – for information (if there is an update)

1b. Previous DSG Meeting Minutes and Action Updates

 The DSG Actions Log will be published on the DSG pages of <u>Xoserve.com</u>



2. Changes in Capture



2a. Change Proposal – For Initial Overview of the Change

2a. Change Proposal – For Initial Overview of the Change

• None for this meeting

2b. Change Proposal Initial View Representations

2b. Change Proposal Initial View Representations

None for this meeting

2c. Undergoing Solution Options Impact Assessment Review

2c. Undergoing Solution Options Impact Assessment Review

• None for this meeting



2d. Solution Options Impact Assessment Review Completed

2d. Solution Options Impact Assessment Review Completed

• None for this meeting.

3. Changes in Detailed Design

3a. Design Considerations

- 3a.i. XRN5007 Correction in the reconciliation process when volume is zero
- 3a.ii. XRN5072 Application and derivation of TTZ indicator and calculation of volume and energy – all classes
- 3a.iii. XRN5122 Gemini System Enhancements External Screens pack, API User Guide, API Specification and User Trials registration
- 3a.iv. XRN5142 New Allowable Values for DCC Service Flag in DXI File From DCC

3a.i. – XRN5007 – Correction in the reconciliation process when volume is zero

3a.i. – XRN5007 – Correction in the reconciliation process when volume is zero

To view the Change Pack, please click the link found <u>here.</u>

3a.ii. – XRN5072 – Application and derivation of TTZ indicator and calculation of volume and energy – all classes

3a.ii. – XRN5072 – Application and derivation of TTZ indicator and calculation of volume and energy – all classes

 To view the Change Pack, please click the link found here.

3a.iii. – XRN5122 – Gemini System Enhancements – External Screens pack, API User Guide, API Specification and User Trials registration 3a.iii. – XRN5122 – Gemini System Enhancements – External Screens pack, API User Guide, API Specification and User Trials registration

 To view the Change Pack, please click the link found here.

3a.iv. – XRN5142 – New Allowable Values for DCC Service Flag in DXI File From DCC

3a.iv. – XRN5142 – New Allowable Values for DCC Service Flag in DXI File From DCC

To view the Change Pack, please click the link found <u>here.</u>

4. Major Release Update

4. Major Release Update

- 4a. November 2020
- 4b. Minor Release Drop 9
- 4c. June 2021 Release
- 4d. November 2021 Release

4a. XRN5110 – November 2020 Release update

XRN5110 - Nov 20 Release - Status Update

	Overall Project RAG Status												
	Schedule	Risks and Issues	Cost	Resources									
RAG Status													
		Status Justification											
Schedule	 Fix implemented 06th March PIS to be completed 12th Ma XRN4897/99 Historical Clear 	e requests: tion in DES - Issue identified with acti 2021 arch 2021	ve read indicator displaying incorrectly s and the change is on track to be imple										
Risks and Issues	 Issue: XRN4897/99 Historical Cleans Risk: Xoserve may be non GDPR con Return to Green: Deliver the two approve 	npliant following Historical Cleanse du	e to missing unknown scenarios	own (9 th July 2021)									
Cost	Due to complete within approved BER												
Resources	Fully resourced to complete changes												

XRN4897/99 Historical Cleanse Change Request Timeline and Progress

	01/02/2021	/02/202	03/02/2021	04/02/2021	05/02/2021	08/02/2021	09/02/2021	/02/	1/02/202	12/02/2021	5/02/202	/02/	/02/	8/02/202	/02/2	/02/2	/02/	/02/202	/02/	/02/202	/03/	/03/202	/03/	/03/	/03/202	121	/03/2	/03/	1/03/202	12/03/2021	1202/20/01	103/	/03/202	/03/	/03/	24/03/2021	25/03/2021	6/03/202	27/03/2021	29/03/2021	30/03/2021	29/03/2021	30/03/2021	/03/	1202/00/00	/04/	PIS End	Clo	sedown
Design															\leq			$\overline{)}$	\sum					$\overline{)}$							$\langle \rangle$						\sum	\mathbb{Z}			$\overline{)}$					$\langle \rangle$	> >		$ \setminus $
Build & UT				$\sum_{i=1}^{n}$	\sum			$\overline{)}$	$\overline{)}$	\bigcirc												\mathbf{i}	$\overline{)}$	$\overline{)}$														\mathbf{i}		$\overline{}$	$\overline{)}$	\sum			$\langle \rangle$	$\langle \rangle$			
AT	\square											\geq																		$\overline{)}$							11							\mathbb{Z}					
RT											\sim																			$\langle \rangle$																			
CM										\square																		\geq									/	$\langle \rangle$											
PT																																																	
Prep + Go Live		\mathbf{i}																									$\langle \rangle$																				$\langle \rangle \rangle$		$\langle \rangle \rangle$
PIS		\mathbf{i}																																												04	/06/202	1 09/	07/2021

Note: Implementation will be on 27th March 2021 and PIS will run for 10 weeks to complete the historical cleanse exercise

XRN4801 Active Read Indicator Change Request Timeline and Progress

	02/02/2021	02/02/2021	03/02/2021	04/02/2021	05/02/2021	08/02/2021	09/02/2021	10/02/2021	1/02/2021	2/02/2021	5/02/2021	16/02/2021	17/02/2021	18/02/2021	19/02/2021	2/02/2021	3/02/2021	4/02/2021	25/02/2021	26/02/2021	01/03/2021	02/03/2021	03/03/2021	04/03/2021	05/03/2021	06/03/2021	08/03/2021	09/03/2021	10/03/2021	11/03/2021	12/03/2021
Build & UT	0	0	0	0	0	0	0	H	1	1	1	-	-	1	H	2	2	2	2	2	0	0	0	0	0	0	0	0	H	H	Ч
Testing										$\langle \rangle$											$\overline{)}$			$\overline{}$				$\overline{}$	\bigcirc		$\overline{}$
TS Rev.& App	\sum																	$\sum_{i=1}^{n}$			$\overline{)}$		$\overline{)}$				$\overline{)}$	$\overline{}$	$\langle \rangle$	$\overline{)}$	$\overline{}$
СМ	\mathbb{Z}					$\overline{\}$			\mathbf{X}							\mathbb{Z}											$\overline{\ }$	$\overline{}$			
Control M Test	\sum			$\langle \rangle$		\sum	$\langle \rangle$			\sum						\sum					$\overline{)}$						\mathbb{Z}				\mathbb{Z}
Env. Refresh	/)				/																				\mathbf{n}			
Per.Test	\sum	$\overline{}$														\sum											$\overline{\ }$	$\overline{}$	$\overline{)}$	$\overline{\ }$	$\overline{\ }$
Prep + Go Live	/			/															X									\mathbf{X}			
Cutover	\sum	$\overline{}$																/	1						/						
PIS										\sum																					

Note: Change implemented on 6th March 2021 and PIS will run until 12th March 2021

Updates as of the 09th March 2021

XRN5110 - Nov 20 Scope

XRN5110 November 20 Release consists of 5 changes. Implementation was in November 2020 In Scope

- XRN 4897 Resolution of deleted Contact Details (contained within the S66 records) at a Change of Shipper event
- XRN 4899 Treatment of Priority Service Register Data and Contact Details on Change of Supplier Event
- XRN 4801 Additional Information in DES
- XRN 4871b Rachet Regime Changes
- XRN 5014 Facilitating HyDeploy2 Live Pilot

Descoped changes

- XRN 4931 Submission of a Space in Mandatory Data on Multiple SPA Files
- XRN 4941 MOD 692 Auto Updates to Read Frequency
- XRN 4992 Supplier of Last Resort Charge Types

To be delivered by CSSC


• XRN 4780c - MAP ID

4b. Minor Release Drop 9

XRN5294 - Minor Release Drop 9 - Status Update

	Overall Project RAG Status														
	Schedule	Risks and Issues	Cost	Resources											
RAG Status															
		Status Justificat	ion												
Schedule	 There are 2 changes for Minor Release Drop 9 to be implemented. The implementation date is planned for 20th March 21: XRN5080 - Failure to Supply Gas (FSG_GSOP1) - System Changes XRN5135 - DNO and NTS Invoices to Shippers and DN's VAT compliance Acceptance testing has been completed and Regression testing tracking to plan to be completed by 10th March 2021 Implementation planning in progress to implement Minor Release 9 on 20th March 2021 														
Risks and Issues	Nothing to report this period														
Cost	Changes are being delivered as pa	rt of Minor Release Budget 20/21													
Resources	Weekly monitoring of Xoserve SME	and Business Process Users to supp	oort testing phase and Implementation												

XRN5294 - Minor Release Drop 9 Timelines



XRN5294 - Minor Release 9 Summary

There are 2 changes for Minor Release 9 to be implemented. The proposed implementation date is 20th March 21:

- > XRN5080 Failure to Supply Gas (FSG_GSOP1) System Changes
- > XRN5135 DNO and NTS Invoices to Shippers and DN's VAT compliance

4c. June 2021 Release Update

XRN5253 - June 21 Release - Status Update

		Overall Project R	AG Status									
	Schedule	Cost	Resources									
RAG Status												
		Status Justification										
Schedule	 Build and System Testing com UAT execution in progress and Current proposed Go Live date Committee in March 2021 and 	l on track to complete in April 2021 e set at 26 th June 2021, Implementation and		sed at Change Management								
Risks and Issues		is no contingency date for June 21 impleme gins on 28th June 2021 leading to a delay i										
Cost	AUGE setup cost included in BER, approved 11 th March at ChMC											
Resources	Resources allocated to comple	te delivery for future stages										

XRN5253 – Proposed June 21 Proposed High Level Plan

August September October November January February March April May June July August September December Start Up Initiation XRN5253: Design Build System Test/ Integration Test June Use Acceptance Testing **Regression Testing Major Release** Go Live 26th June 2021 PIS (TBC)

Today

XRN5253 - June 21 Release Summary

June 21 Release now consists of 1 change:

In Scope

• XRN5093 - MOD0711 - Update of AUG Table to reflect new EUC bands

De-Scoped at Extraordinary Change Management Committee on 26th October 2020

XRN4992 - MOD0687 – Creation of new charge to recover last resort supply payments

De-Scoped at Change Management Committee on 11th November 2020

• XRN4941 - MOD0692 - Auto updates to meter read frequency


X Serve

4d. November 2021 Release

XRN5289 - November 21 Release - Status Update

	Overall Project RAG Status					
	Schedule	Risks and Issues	Cost	Resources		
RAG Status						
Status Justification						
Schedule	 Design workshop plan in progress XRN4941, XRN5142, XRN5007, XRN5072 have completed its design CSSC/CSS impact assessment timeline and requirements is approved Changes packs for 3 changes issued for approval 1 month earlier than originally planned date Change request for XRN4941; change to operation smart meter definition approved and timeline agreed within the current design schedule 					
Risks and Issues	 RISK - XRN5142 - Unknown plans from DCC on their plan of delivery and design Return to Green: Engagement ongoing with DCC; regular touch points in place to understand their plan and design 					
Cost	EQR approved by ChMC on the 13 th January 2021					
Resources	Resource Forecasts and Plans until the end of design have been defined and approved					

XRN5289 – November 21 High-Level Plan



XRN5289 - November 21 Release Summary

The initial scope of the November 2021 Major Release consists of 8 changes

In Scope

- XRN4941 MOD0692 Auto updates to meter read frequency
- · XRN5007 Enhancement to reconciliation process where prevailing volume is zero
- XRN5072 Application and derivation of TTZ indicator and calculation of volume and energy all classes
- XRN5091 Deferral of creation of Class change reads at transfer of ownership
- XRN5142 New allowable values for DCC Service Flag in DXI File from DCC
- XRN5180 Inner tolerance validation for replacement reads and read insertions

Out of Scope

Approved to removed from 13th January 21 ChMC

- XRN5186* MOD0701 Aligning capacity booking under the UNC and arrangements set out in relevant NExAs
- XRN5187* MOD0696 Addressing inequalities between capacity booking under the UNC and arrangements set out in the relevant NExAs

X Serve

November 21 DSG 22nd March 2021

Publication of Change Packs for November 21

XRN	Title	Change Pack Publication
4941	MOD0692 – Auto updates to meter read frequency	April 21
5007	Enhancement to reconciliation process where prevailing volume is zero	March 21
5072	Application and derivation of TTZ indicator and calculation of volume and energy (all classes)	March 21
5091	Deferral of creation of class change reads at transfer of ownership	April 21
5142	SEC MOD MP077 – New allowable values for DCC service flag in DXI file from DCC	March 21
5180	Inner tolerance validation for replacement reads and read insertions	April 21

XRN5007, XRN5072 and XRN5142 have completed detailed design therefore the Change Packs have been published this month. The following slides will give an overview of these changes.

We will come to DSG in April to provide an overview of the remaining changes.

XRN5007 - Overview

Currently where there is a re-reconciliation due to

- Re-reconciliation of a non-consuming period (zero reconciled) triggered by a site visit read or replacement read that impacts upon that non-consuming period or
- A Breaking Reconciliation on a non-consuming period (zero reconciled) where a previously reconciled period is split following an inserted read

and the prevailing volume is zero an MN09 exception is created.

This exception prevents any future reconciliation, including Shipper financial charges, until the exception is resolved. These exceptions are resolved by applying a consumption adjustment to the period impacted by the zero prevailing volume.

Currently the Reconciliation Factor is calculated as

Reconciliation Factor = Reconciliation Volume / Prevailing Volume

In cases where the prevailing volume is zero the Reconciliation Factor will be calculated as Reconciliation Factor = Reconciliation Volume / Deemed Volume

By using the Deemed Volume where the Prevailing Volume is zero the risk of a divide by zero error and, therefore, an MN09 exception, will be minimal allowing re-reconciliations to complete and charges be generated without the need for intervention.

XRN5007 – For Awareness

.ASP and .AML Supporting Information Files

Where the Reconciliation Factor for a Class 4 Supply Meter Point has been calculated using the Deemed Value the fields on the K88 record (ASP) and the K92 record (AML) will reflect the following:

Field Name	Content when Deemed Volume used in Rec Factor Calculation
RECONCILIATION_VARIANCE_TOTAL_DEEMED_ALLOC_VOLUME	Deemed Volume
RECONCILIATION_VARIANCE_TOTAL_DEEMED_ALLOC_ENERGY	Prevailing Energy. This is as-is however it cannot be used to calculate the Deemed Volume.
RECONCILIATION_FACTOR	Calculated using Deemed Volume. This cannot be used to calculate the Prevailing Energy.

Check to Check Re-Reconciliation

As a Check to Check period is made up of one or multiple reconciliation periods only the period impacted by prevailing volume of zero will use the deemed volume to calculate the Reconciliation Factor. This means that both the Prevailing and the Deemed Volume can be used to calculate the Reconciliation Factor within the same reconciliation period.


Resolution of existing MN09 exceptions

Following implementation, the reconciliation process will be re-triggered for Supply Meter Points where a MN09 exception is open at that point in time so that the reconciliation factor is calculated using the Deemed Volume.

This activity will generate reconciliation charges which will be included on the next scheduled invoice to Shippers. The timeline for this activity will be defined within the Project delivery.

XRN5072 – Overview

The TTZ indicator is used for meter read validation to confirm whether the meter readings provided have clocked (gone through the zeros) since the last actual read. However, the resultant volume should derive a TTZ based on the read history. Some examples have been provided below.



The current read has a TTZ value of zero as the read has not clocked since the last actual. However we do not want the TTZ of 1 on the 1st estimated read to be considered for the total volume calculation between the actual reads.

The replaced read has a TTZ value of 1 as the read has clocked since the last actual. The latest actual read also has a TTZ value of 1 as when this read was provided it had clocked since the last actual read. We do not want both TTZ values to be considered for the total volume calculation between the latest actual read and earliest actual read.

The inserted read has a TTZ value of 1 as the read has clocked since the last actual read. The latest actual read also has a TTZ value of 1 as when this read was provided it had clocked since the last actual read. We do not want both TTZ values to be considered for the volume calculation as the readings have not clocked again between the inserted read and the next estimated read.

XRN5072 – Backwards volume calculations

The logic for determining the TTZ to use for calculating the backwards volume will be updated as follows

TTZ of the CR


<u>minus</u>

the SUM of all TTZs between the last actual read and the current read

(excluding the last actual read and the CR)

CR = Current Read which relates to the latest read provided by the Shipper

Example



In this example the TTZ value applied to the current read for volume calculation will be -1. As the volume is calculated between each read the current read must have a -1 (negative) TTZ value so that c. volume is calculated as -300 rather than +9700.

XRN5072 – Forwards volume calculations

Replacement and Inserted Reads


The volume has already been calculated between each of the reads prior to a read being replaced. Once a read is replaced the backwards volume is calculated, using the previous logic, then the forwards volume from the replaced read to the next read will be calculated as

The total volume between the original reads

<u>minus</u>


the backwards volume between the replaced/inserted read and the previous read.

Example of an inserted read



XRN5072 – Forwards volume calculations

Example of an replaced read




The volume from c and f are not considered in the forwards volume calculation as this volume has already been calculated and is not affected by the replacement reading.

XRN5072 – Forwards volume calculations

Inserted Reads which prompts Check to Check Reconciliation

Where a read is inserted that generates a Check to Check reconciliation the backwards volume is calculated, using the previous logic, then the forwards volume from the inserted read to the next read will be calculated as



XRN5072 – For Awareness

The new logic will only be used where there is an estimated read preceding or following the most recent read received. There has been no issue identified in the current volume calculation where there isn't an estimated read present.

RGMA files can be provided without a TTZ value, in this instance we derive the TTZ based on the last actual read. The logic for deriving the TTZ will not be changing however the volume calculation will be updated for calculating the backwards volume.

Correcting historic invalid volume calculations

There are a number of Supply Meter Points where the incorrect calculation has already taken place and subsequently reconciliation and AQ has been calculated based on the incorrect values. The CDSP will identify calculations where one or more reads have a TTZ indicator and identify, using the new logic, whether the volume has been calculated incorrectly.

Any Supply Meter Points that have had incorrect volume calculated will have

- a financial adjustment to correct the reconciliation
- a financial adjustment to correct the capacity
- a change to the current Formula Year AQ (where it is impacted)

The Supply Meter Point (Rolling) AQ will be calculated using the adjusted volume, as per the as-is process, once a further actual read is loaded.

XRN5142 Overview

The SEC Modification MP077 will

- Remove the current DCC Service Flag values 'S' Suspended and 'W' Withdrawn.
- Introduce two new values 'I' Installed Not Commissioned and 'N' Non-Active.
- The DCC Service Flag 'A' Active will remain unchanged.

The DCC identifies which Service Flag is applicable to each Supply Meter Point. We do not apply any validation logic (except to validate that the new allowable value is either 'A', 'N', or 'I') to the Service Flag. We simply store and share the Service Flag value provided by the DCC.

The DCC will be assessing any Service Flags currently set as 'A', 'S' or 'W' and mapping these to the new values. There are circa. 4 million Supply Meter Points with a 'DCC Service Flag' of 'A' held in UK Link which will be assessed and could potentially be updated by the DCC (there are no Service Flags of 'S' or 'W' currently held in UK Link).

DES will show the new values, when set, in the Meter Asset Data screen.

XRN5142 Impacts

To allow us to share the new DCC Service Flags the following file records will be updated

File Name	Record
CFR, CRS, NMR, NRF, SNR, TRF, TRS	S98
IDL, IQL	B43
DXI	E45
DXR	E46

For Awareness

Mass Update Activity

Due to the potentially high volumes of updates required there may be a inconsistency between the DCC Service Flag held in UK Link and the DCC Service Flag held by the DCC whilst the mass updates are being processed in UK Link. We will be working with the DCC to manage this activity and limit any impacts created.

GT Must Reads

Supply Meter Points with a DCC Service Flag of A are currently excluded from GT Must Reads following the implementation of XRN5036 "Updates to Must Read process" (Link to XRN5036 Change Proposal). Any Supply Meter Points that no longer have an DCC Service flag of A, provided they do not meet any other exclusions, will now be included for GT Must Reads.

Information

XRN5091 has not yet completed Detailed Design – the Change Pack is due to published in April however we have identified that there may be new rejections codes or changes to rejection code descriptions so we wanted to make you aware of this now.

An overview of the change has been provided in the next slide.

5091

When a Change of Shipper involves a Class Change the opening read window is satisfied by the estimated Class Change read. When an opening read is provided, within the opening read window, the read is rejected. This change will allow Shippers to provide an opening meter read when there has been a Change of Shipper with a Change of Class (for the same effective date).

- Change of Shipper events involving a Change of Class from or to Class 1 or Class 2 are out of scope and will remain as per current process.
- The opening meter reading must be on the Confirmation Effective Date otherwise it will be rejected. The existing rejection code MRE01014 will be used however the description of the rejection will be updated. This currently states 'Opening read received for a read date not same as registration effective date for any shippers transfers involving Class 1, 2 or 3.'

Where an RGMA, LDZ change or non-opening read is received within the opening read window they are treated differently based on if there is a Change of Shipper only, a Change of Class only or a Change of Shipper with a Class Change.


To protect the opening read window for Change of Shipper with a Class Change, there will be a change to how these are treated and new rejection codes or updates to existing rejection code descriptions may be required for specific scenarios.

Full details will be identified as part of Detailed Design and will be included in the Change Pack.



5. Change Pipeline


Change Development & Delivery Pipeline (DSC Change / Minor Release Budget)



* Pre-capture may contain changes that won't require delivery / funding

Microsoft Excel)7-2003 Workshee

2020-2022 DSC Change / MiR Pipeline





6. Issue Management

6. Issue Management

• 6a. AQ Taskforce Update

X Serve

6a. AQ Taskforce Update



- AQ taskforce established to resolve the underlying issues which have led to AQ errors. The team consists of business SME's, technical resources including architects, as well as our IT suppliers
- Immediate focus was to confirm the scope and breadth of the problem and develop a detailed plan
 of action
- The resolution of defects and a more in-depth assessment of the root cause of all AQ defects raised to negate these issues occurring in the first place
- Taskforce identified that historic AQ adjustment issue and sought to develop a methodology, tooling and billing principles in which to udertake invoicing. All taskforce activity on this work has now ceased and will move to BAU.


Taskforce Objectives

- ✓ Continue resolution of known defects
- Undertake detailed root cause analysis assessment of the AQ functionality and upstream processes
- Review the AQ functionality and business process for both monthly and annual activities
- Identify system and process solutions to resolve any issues
- ✓ Use data / MI to drive greater insight
- ✓ Continue to provide support, progress reporting & status to you on the taskforce activities

AQ Taskforce Focus Areas

Focus	Objective	Progress
Prioritised Defect Resolution	 Continued delivery of prioritised functional defects Identification of delivery enhancements aimed at insulating customers from issue until enduring resolutions deployed 	 Defects with a high volume of impacted MPRNs or known to have a significant impact on the AQ were prioritised and resolved prior to 1st Dec 20 Defects continue to be raised however these are slowing, and volume of MPRNs impacted remains low
Root Cause Analysis	 Deep dive activities to identify root causes of the issues incurred. Resolutions to root causes identified and proposed. Identification of automation/workarounds for defects. 	 Insight on the root cause and what remediation can be put in place (short, medium and long term) Ownership agreed and change requests raised where required
Process Review	 Review the monthly/Annual AQ process both in terms of functionally at a system level and as a business process 	 MI implemented Targeted discussions with customers where issues identified
SLA Definition	 Greater visibility on defect resolution and data corrections 	 Measures and tracking implemented Prioritisation of defects based on customer impact
Tech Ops Improvements	 Delivery of improvements to technical processes MI to improve operational processes and drive insight 	 Process changes implemented to ensure correct prioritisation of defects and robust testing
Business Ops Improvements	 Delivery of improvements to business operational processes Delivery of MI to improve operational processes 	 MI delivered supporting business team and proactive identification of potential issues AQ Focus Team set up in Business Operations Additional checks and balances applied to BAU processing
Customer Impact Mitigation	 Front of House for describing progress against plan, and managing the impact to customers 	Updates provided at customer and industry meetings

AQ Defects – Raised & Resolved



Next Steps

- Defect summary and progress will continue to be provided at industry and customer meetings, for CoMC this will be under 'Issue Management' agenda item
- Focus will continue on the resolution of AQ defects and maturing the newly created AQ operational team



7. CMS Rebuild Update

March Updates Jo Williams

CMS Rebuild - Progress to date

Summary of progress to date

- CMS is a dated system which is coming to end of life support, rather than a lift and shift of current processes the project team wanted to understand the following from the actual users of CMS perspective:
 - What are their current processes and activities
 - What are their current pain points
 - What would their ideal version of the process be
- All initial requirement workshops have now been completed and the ideal "To Be" Workshops are now underway, following feedback received from the first session the structure has been altered to continue to get the best value out of the sessions.
- The Project Team are seeing a big increase in the number of attendees for each workshop, which is a great sign and this has led to additional requirements being identified
- All Workshop outputs have been published here: <u>https://www.xoserve.com/systems/contact-management-service/contact-management-service-cms-rebuild-project/</u>
- Potential Suppliers are being engaged to understand high level requirements to obtain figures and timescales for High Level Solution Options


Next Steps

- Continue to refine the requirements as we develop the Ideal "To Be" Models
- Continue the Governance process to seek approval of design and solution at
 - CoMC
 - ChMC
 - DSG
- Consider potential delivery methods along with any dependencies on other systems, it maybe that we have a two step delivery consisting of; front end for customers and then the UKLink integration post CSSC
- Approval of processes to remain in scope of CMS

Key Milestones	Due
Initial Workshops Completed	22/01/2021
To Be Workshops Commence	08/02/2021
HLSO – Target Date	April

CMS Governance Process

CMS Rebuild Project



X Serve

Annex – For Information

X Serve

8. DSC Change Management Committee Update

10th March 2021 Meeting

New Change Proposals

Xoserve Ref No.	Change title	Next steps	Service area
5327	Xoserve Change Fund 2021/22	Deferred till April	N/A - This Change Proposal will act as the parent XRN for the financial year 2021/22
5321	XRN5321 PAC Ring-Fenced DSC Change Budget 21/22	Approved into Capture	N/A - This Change Proposal will act as the parent XRN for the financial year 2021/22
5329	XRN5329 Amendments to V16 of the Service Description Table	Visibility of proposed changes – Information only	N/A

Solution Review Outcomes

Xoserve Ref No.	Change title	Voting Outcome
5144	Enabling Re-assignment of Supplier Short Codes to Implement SoLR Directions	ChMC requested to hold further work on this change until Ofgem has made a decision in the CSS programme
5200	Shipper Pack Transition to Data Discovery Platform	Approved Option 4 into an adhoc delivery – to align with DDP drops
5218	Modification 0710 - CDSP provision of Class 1 read service	Approved Option 1 into an adhoc delivery (aiming for 01/06/2021)

Detailed Design Outcomes – September Change Packs

Xoserve Ref No.	Change title	Voting Outcome
5038	CDSP to convert Class 2, 3 or 4 Supply Meter Points to Class 1 when G1.6.15 criteria are met (Mod 0691)	Implementation date approved proposed 01/04/2021 - Solution approved at Feb ChMC
5285	(Mod 730V) - COVID-19 Capacity Retention Process	Deferred decision until the Mod has been approved
4922	CSSC Shipper BRD	Approved

Change Documents

CCR Approved:

- XRN5206 TPI/PCW Access
- XRN5294 Minor Release Drop 8

BER Approved

• XRN5253 June 21



9. DSG Defect Summary



DSG Defect Summary

X Serve

DSG Defect Summary

Defect Summary Stats Stats as per RTC extract taken on Tuesday 9th March 2021 at 10am

Defect Landscape (Open/Closed vrs PGL/New)

										-: I				
	D1	D2	D3	Defects D4	D5	TOTAL	D1	D2	D3	Discovered D4	Defects D5	Not Set	TOTAL	GRAND RELEASE TOTALS
Urgent Fix (D1/D2)	0	0	0	0	0	0	0	0	0	1	0	0	1	1
r6.19	0	0	0	0	0	0	0	0	0	2	0	0	2	2
On Hold	0	0	0	0	0	0	0	0	0	2	1	0	3	3
Requires CR	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Release Planning	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Future Release Dependent	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Currently Unallocated	0	0	0	0	0	0	0	0	7	44	2	0	53	53
TOTAL OPEN	0	0	0	0	0	0	0	0	7	49	3	0	59	59
Resolved	0	7	34	81	16	138	9	227	594	576	23	14	1443	1581
Fix Deployed - Pending Data Correction	0	0	0	0	0	0	0	0	0	8	0	0	8	8
TOTAL CLOSED	0	7	34	81	16	138	9	227	594	584	23	14	1451	1589
GRAND TOTAL	0	7	34	81	16	138	9	227	601	633	26	14	1510	1648

R6.17

There were no fixes deployed to production on the 12th February 2021 (Inclusive of Amendment Invoice Impacting Defects).

R6.17

There were no fixes deployed to production on the 19th Feb 2021 (Inclusive of Amendment Invoice Impacting Defects).

R6.18

There were no fixes deployed to production on the 26th February 2021 (Inclusive of Amendment Invoice Impacting Defects).

R6.18

There were no fixes deployed to production on the 5th March 2021 (Inclusive of Amendment Invoice Impacting Defects).



There was one Defect deployed as Urgent (D1/D2) Fixes since the last slides were issued.

De	efect ID	Status	Description	Release	Deployed On:	Amendment Invoice Impacting
e	54533	Resolved	(High Priority) : UK LINK AQ: Monthly AQ Roll: AQ not calculated for shipper transfer scenario where shipper transfer date is not within the AQ trigger window	Urgent Fix (D1/D2)	12/02/2021	No

Amendment Invoice Impacting Defects - Open

Defect ID	Status	Primary Business Process	Description
64839	Assigned	Metering	(High Priority) Two actuals read for the same date are getting accepted for class 4 Meter where a convertor is fitted, 1 read should be rejected with rejection code MRE01016.
64731	DRS Needed	RGMA	(High Priority) SAP:RGMA: Transfer reads created incorrectly as non-opening read instead of opening & closing read. Rec and billing impact for Class 4 sites.
\land \land \land \land \land	DRS In Progress	RGMA	Defect linked to 64157 (High Priority) Incorrect volume calculation for class 3 sites with meter-convertor when RGMA activity is received between D+6 to D+10 where D is the transfer date
	DRS In Progress	RGMA	(High Priority) - RGMA - Class 3, for RGMA report or update read date read type in UBR table is incorrect
	DRS Completed	Metering	(Medium Priority) RGMA exchange activity on shipper transfer date for class 3 sites is not creating actual opening read('O' read) in ZDT_UBR_RECORDS table to send URN response to shippers

Amendment Invoice Impacting Defects – Open Cont'd

Defect ID	Status	Primary Business Process	Description
	Clarification	Billing &	(High Priority) - When the ZB_REC_Val_exclu report is run it is bringing back multiple duplicates for the Class 4 sites;
64251	Required	Invoicing	however the report is used for validation purposes and shouldn't bring back duplicate values
			(High Priority) Issue with the DM bill order creation job, where bill orders are being created when the PCA Values are
	DRS	Billing &	not loaded for DM Sites; however, should not create billing documents for the meters where we can't find any PCA
64250	Completed	Invoicing	process raised for these sites
64169	Awaiting CAB	Metering	(High Priority) - For a Class 4 Prime site, after performing an NDM Class 4 Prime Reconciliation, the recalculated REC net off Volume and Energy is not getting updated in the EL31 screen
	UAT		(Medium Priority) - Issue with the Class 3 Prime Process; where the subsequent Actual Read has not considered the Shipper Transfer as
63726	Execution	Metering	the last Read Date

Amendment Invoice Impacting Defects – Open Cont'd

Defect ID	Status	Primary Business Process	Description
			(Medium Priority) (Linked with defect#63498, defect#61966) - A read is not getting loaded in the Prime/Sub table
	UAT		after processing the read through the MOD 700 UBR process for Class 3 prime/sub sites under the EUC band -
63691	Execution	Metering	(Identified during UAT of Defect 62178)
			(Medium priority) - Issue with the Class change re-estimation; whenever the previous Class is either Class 3 or 4, and
			the Read is received in the Class 2 period, the Class change estimated Read on the Class 2 start date does not get
63690	DRS Needed	Metering	updated
	Fix Deployed		
	- Pending		
	Data		(WB) High Priority - For an NDM Prime Site, the Sub site volume and energy is not getting calculated if there is an
63393	Correction	Metering	Meter Reading Unit (MRU) frequency change for the same class
	Fix Deployed		
	- Pending		
	Data		Linked with defect 63142 & defect 63494 (WB) High priority -Transfer estimated read (OPNT) is getting derived
63392	Correction	Metering	incorrectly if transfer read loaded through RGMA process and previous read of shipper transfer is an estimated read

Amendment Invoice Impacting Defects – Open Cont'd

Defect ID	Status	Primary Business Process	Description
	Fix Deployed		
	- Pending		
	Data		
62178	Correction	Metering	(XB) Low priority - Exception needs to be created in cases where profiles upload results in errors
	Fix Deployed		
	- Pending		
	Data		
61452	Correction	Metering	Rec is not happening for Prime and sub site when there is RGMA or class change or shipper transfer estimated read



10. Portfolio Delivery

10. Portfolio Delivery

• 10a. Portfolio Delivery Overview POAP

10a. Portfolio Delivery Overview POAP

• The POAP is available here.