CMS REBUILD CUSTOMER FOCUS GROUP OY/OS

Agenda

- Recap of previous session
- Recommended AQ Values
- QMP File Usage
- What current Browser version
- Accessibility functions
- Overview of Build Progress
- Review of Actions and AOB



TERMS OF REFERENCE (TOR)

Frequency	Monthly 1- 2 hours long & Email Communication	1				
Purpose	 Stakeholder engagement forum for the product Update on decisions taken Update on progress of delivery of product into service Opportunity for demonstrations, seeking feedback 					
Roles and Responsibilities	Discuss and propose ways forward for any escalations brought to the group Ensure product is fit for purpose Identification of any customer impact Agree where Change Packs will be produced					
Inputs	 Latest view of high level release plans Update on preparations for transition into service Demonstrations / PoC / Wireframes of product design dependent on design stage Email Communication for initial discussions AOB and actions 	Outputs	•Meeting Minutes & Actions •Escalations •Feedback on product demonstrations and approach •Requirement confirmation •Change Pack Identification			
Attendees	•Correla CMS Rebuild Team - Jo Williams, Richo •Xoserve representatives •Industry Representatives	ard Creswell				

INDICATIVE DELIVERY PLAN - SUBJECT TO CHANGE

	Q2 2O22			Q3 2O2			Q 4 2022			Q1 2O23		
	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar
			Release 1	Build								
R1 Build	Requirement	t Refinement										
Ł			Integration	5								
					R1.	External UAT						
R1 Test												
R1 Launch							R1					
R2+					Refine	ement of	Release sch	nedule and	d future pl	anning		
R2												

RECOMMENDED AQ VALUES


- As part of some analysis work on New Connections, a requirement has been identified that could help remove a painpoint with new MPRN creations having an incorrect AQ value.
- As a result the AQ value entered when new MPRNs are set up is often too high. This means that:
 - individual site capacity estimations are often too high
 - · regional and national demand forecasts are also too high
 - shippers are buying too much gas and may need to sell it back expensive infrastructure decisions are based on bad data and gas prices are inflated for everyone.
- Using recommended values based on type of property and location will help reduce the impact of incorrect AQ Values.

Type of Property	Recommended South AQ Value	Average AQ Value	Recommended North AQ Value	
1 Bed Property	5500	5800	6100	
2 Bed Flat/Terrace	6900	7150	7400	
2 Bed Semi/Detached 3 Bed Flat/Terrace	8900	9300	9700	
3 Bed Semi/ 2 Bed Bungalow	9700	10150	10600	
3 Bed Detached/ Bungalow	11400	12950	14500	
4 Bed Property	13600	15000	16400	
5+ Bed Property	19900	20600	21300	


Do these look suitable as recommended values?

There will also be an option to enter an AQ of your own for I&C sites.

QMP FILE USAGE



WHAT VERSION OF BROWSERS ARE YOU USING?



Chrome



DO YOU HAVE ANY USERS WHO HAVE ANY ACCESSIBILITY REQUIREMENTS?

MINUTES

No. Attenuees	27 Attendes did to Organisations
Actions	ToR As agreed with all parties on the call, the ToR has been updated to reflect that email communication shall be issued to set advice or guidance from the registered attendees of the customer focus group. This will ensure progress can contrue instanced of watching for the next abeduid focus group. AQ insight of Charge fock when possible. In the AQ values in the table have been identified from the NExA table and rounded to the nearest 50
Outputs	<section-header><section-header><list-item><list-item><list-item><list-item><list-item><list-item><list-item><list-item><list-item><list-item><list-item><list-item><list-item><list-item><list-item><list-item><list-item><list-item><list-item><list-item><list-item><list-item><list-item><list-item><list-item><list-item><list-item><list-item></list-item></list-item></list-item></list-item></list-item></list-item></list-item></list-item></list-item></list-item></list-item></list-item></list-item></list-item></list-item></list-item></list-item></list-item></list-item></list-item></list-item></list-item></list-item></list-item></list-item></list-item></list-item></list-item></section-header></section-header>

tread a intrigued releved
hopeful excited
ية ¥ positive p i s ∞ and the positive p
📲 optimistic 🦉 📲
S shoter to 5 💬
interested 🕺 🛱 🦉

When asked to 'Rate the Level of Engagement from the CMS Rebuild team."





0 Poor